


SPC FLOORING








Realistic Impression

Create more three-dimensional sense on SPC flooring. Realizing a more authentic feeling in your eyes. Keep your touch and vision in the most relaxed state.

REGAL COLLECTION





Features

Dimensions	7-in W x 48-in L
Thickness	4 mm SPC Core +
Wear Layer	0.3mm (12mil)
Material	Stone Polymer Co

Other Features

+ 1mm IXPE


omposite (SPC)

Micro Bevel, Random EIR









SNAP (HORIZONTAL)



PRODUCT INFORMATION









100% waterproof best for wet areas

- Wear-resistant and durable, suitable for high traffic areas
- Flame retardant and smoke suppression
- Stain-resistant and easy to clean .
- A highly durable surface that resists scratches and abrasions. •
- Antimicrobial coating, and non-slip surface treatment •
- Unilin licensed angle angle click
- 15 years residential warranty
- 8 years light commercial warranty



Hassle-Free Installation with Unilin Click

The flooring locking patent originating from Europe is the most popular floor installation technology in the industry, eliminating the need for complex installation processes such as glue, and making floor installation simpler, efficient, and stable.

ANGLE





Full Layout

Color Code: EV1001 Color Name: Sabbatia Elm Item SKU: EV10017485 UPC Code: 850058762425







Full Layout

Color Code: EV1002 Color Name: Twin Lakes Grey Item SKU: EV10027485 UPC Code: 850058762432

Installation





Full Layout

Color Code: EV1003 Color Name: Onyx Maple Item SKU: EV10037485 UPC Code: 850058762449

6







Full Layout

Color Code: EV1004 Color Name: Barrington Oak Item SKU: EV10047485 UPC Code: 850058762937

SPC FLOORING PRICE LIST 2024		
SKU	Description	List Price/sq ft
EV10017485	Sabbatia Elm Rigid Core SPC Flooring with Unilin Click 7"x48"(5mm thick)	3.49
EV10027485	Twin Lakes Grey Rigid Core SPC Flooring with Unilin Click 7"x48"(5mm thick)	3.49
EV10037485	Onyx Maple Rigid Core SPC Flooring with Unilin Click 7"x48"(5mm thick)	3.49
EV10047485	Barrington Oak Rigid Core SPC Flooring with Unilin Click 7"x48"(5mm thick)	3.49